

10/575418

## FAY, SHARPE, FAGAN, MINNICH &amp; MCKEE, LLP

## PATENT TRADEMARK AND COPYRIGHT LAW

MARK E. BANDY  
 JOHN P. CORNELY  
 JOSEPH D. DREHER  
 JUDE A. FRY  
 STEVEN M. HAAS  
 MICHAEL E. HUDZINSKI  
 RICHARD M. KLEIN  
 THOMAS E. KOCOVSKY, JR.  
 SANDRA M. KOENIG  
 SCOTT A. MCCOLLISTER  
 JAY F. MOLDOVANYI  
 PHILIP J. MOY, JR.  
 TIMOTHY E. NAUMAN

PATRICK R. ROCHE  
 JAMES E. SCARBROUGH  
 ANN M. SKERRY, PH.D.  
 MARK S. SVAT  
 BRIAN E. TURUNG  
 GREGORY S. VICKERS  
 ROBERT V. VICKERS  
 OF COUNSEL  
 E. KENT DANIELS, JR.  
 CHRISTOPHER B. FAGAN  
 JAMES W. MCKEE  
 RICHARD J. MINNICH  
 THOMAS E. YOUNG

1100 SUPERIOR AVENUE  
 SEVENTH FLOOR  
 CLEVELAND, OHIO 44114-2579  
 TELEPHONE (216) 861-5582  
 FAX (216) 241-1666  
 WEB: [www.faysharpe.com](http://www.faysharpe.com)  
 Philip J. Moy Jr.  
 pmoy@faysharpe.com

MATTHEW P. DUGAN  
 KEVIN M. DUNN  
 PATRICK D. FLOYD  
 COLLEEN FLYNN GOSS  
 KARL W. HAUBER  
 ERIC M. HIGHMAN  
 ERIC W. LEE  
 ERIN J. OVERBERGER  
 SUE ELLEN PHILLIPS  
 ROBERT A. SIDOTI  
 ROBERT M. SIEG, PH.D.  
 SCOTT M. SLABY  
 ALEXANDER P. TSAROUHAS

JOSEPH E. WATERS  
 JONATHAN A. WITHROW  
 JEFFREY N. ZAHN  
 MARINA V. ZALEVSKY  
 JOHN S. ZANGHI

REGISTERED PATENT AGENTS  
 ANTHONY M. DEL ZOPPO, III  
 THOMAS TILLANDER  
 GUOSHENG WANG, PH.D.

ALBERT P. SHARPE, III  
 1959-2001

13 January 2006

The International Bureau of WIPO  
 34, Chemin des Colombettes  
 1211 Geneva 20  
 SWITZERLAND

VIA FACSIMILE  
 Confirmation via DHL Courier

Re: International (PCT) Patent Application of  
 WASTE MINIMIZATION AND CONTAINMENT INC.  
 Entitled: DRY ICE FEEDING APPARATUS AND METHOD  
 Inventor: Becker  
 App. No.: PCT/US2004/033158  
 Filed: 08 October 2004  
Our Ref.: WMCZ 2 00010 PCT

Dear Sir:

## AMENDMENT UNDER ARTICLE 19

This Amendment Under Article 19 is in response to the International Search Report and Written Opinion of the International Searching Authority mailed 16 November 2005 in connection with the above-captioned application.

## Explanation of Amendments

This Amendment is limited to amending claims and comprises Substitute Pages 19 and 21, which are submitted in triplicate.

In accordance with the requirements of Rule 66.8(a) that attention must be drawn to the differences between the original and replacement sheets, applicant advises that:

- (a) Claims 1-18 remain unchanged;
- (b) Claim 19 has been amended;
- (c) Claims 20-24 remain unchanged; and
- (d) Claims 25 and 26 have been amended.

Applicant also sets forth below the specific changes that have been made to amended 19, 25, and 26, with strikethroughs denoting deletions and underlining denoting additions:

19. The apparatus of claim 1918, wherein:

    said upper opening of said hopper includes a lip extending upwardly from said head portion of said hopper, said lip terminating with a horizontal lip flange; and  
    said lid includes a peripheral lid flange and a seal member disposed on the upper surface of said lid flange, said seal member being configured to contact and mate with both the upper surface of said lid flange and the lower surface of said lip flange when said lid is disposed within said hopper and urged upwardly to cover said upper opening of said hopper.

25. The method of claim 2524, further comprising the step of controlling the exit of dry ice pieces from the pressure vessel to the mixing chamber with a metering valve disposed between the opening in the bottom of the pressure vessel and the mixing chamber.

26. The method of claim 2524, further comprising the step of controlling the size of dry ice pieces exiting from the pressure vessel to the mixing chamber with a size-reducing device disposed between the opening in the bottom of the pressure vessel and the mixing chamber.

**Remarks**


The amendments to claims 19 and 25 are in response to the defects set forth in Box No. VII of the Written Opinion, which noted that dependent claims 19 and 25 depended from themselves. As amended, claim 19 now depends from claim 18, and claim 25 now depends from claim 24. Claim 26 also has been amended to depend from claim 24.

Applicant also notes that the Written Opinion mailed 16 November 2005 fails to address several claims of the application and treats numerous claims in an inconsistent manner. For example, there is no mention of claim 5 or claim 15 in either the Statement of Box V.1 or the Citations and Explanations of Box V.2 (Supplemental Box). In addition, claim 16 is not listed anywhere in the Statement of Box V.1, although it is addressed in Box V.2. Applicant also finds it confusing that Box V.1 lists claim 1-3, 18, 24, and 25 as satisfying the requirements for novelty, while the explanation in Box V.2 states that those same claims lack novelty. Moreover, Box V.1 lists in the same space for claims lacking an inventive step both (a) claims 1-3 and 24, which Box V.2 identifies as lacking novelty; and (b) claims 7-9, 13, 14, and 19-21, which Box V.2 states satisfy the criteria of PCT Article 33(2)-(3). Furthermore, claim 22 is listed in a single group along with claims 19, 20, and 21 in Box V.1, but it is not mentioned anywhere in Box V.2.

Applicant respectfully requests that a supplemental Written Opinion be issued that (a) deals with all the claims of this application on the merits and (b) provides consistency between the Statement of Box V.1 and the Citations and Explanations of Box V.2. A supplemental Written Opinion would provide clear and proper guidance for subsequent national-stage applications based on this PCT application. Applicant also suggests that, in supplementing the Written Opinion, the International Searching Authority revisit the analysis of claim 18. In dealing with claim 18, the Written Opinion makes reference to the use of an O-ring as a seal for the hopper. Claim 18, however, does not recite an O-ring, although claim 23 does.

Respectfully submitted,

FAY, SHARPE, FAGAN,  
MINNICH & MCKEE, LLP



Philip J. Moy, Jr.  
1100 Superior Avenue  
Seventh Floor  
Cleveland, Ohio 44114-2579  
(216) 861-5582

Enclosures (x3)

BEST AVAILABLE COPY

mixing chamber and said hopper to permit the compressed air to pressurize said hopper when said lid seals said upper opening of said hopper.

16. The apparatus of claim 15, wherein said head portion, cylindrical upper  
5 portion, and frusto-conical lower portion of said hopper comprise a welded stainless  
steel pressure vessel.

17. The apparatus of claim 15, wherein the wall of said lower portion of  
said hopper forms an angle greater than 65° from a horizontal line when the axis of  
10 said frusto-conical section is vertical.

18. The apparatus of claim 15, wherein said lid covers and seals said upper  
opening of said hopper from inside said hopper.

15 19. The apparatus of claim 18, wherein:

said upper opening of said hopper includes a lip extending upwardly  
from said head portion of said hopper, said lip terminating with a horizontal lip  
flange; and

20 said lid includes a peripheral lid flange and a seal member disposed on  
the upper surface of said lid flange, said seal member being configured to contact and  
mate with both the upper surface of said lid flange and the lower surface of said lip  
flange when said lid is disposed within said hopper and urged upwardly to cover said  
upper opening of said hopper.

**BEST AVAILABLE COPY**

d. directing a flow of the clean, dry compressed air across the mixing chamber and out of the outlet, whereby dry ice pieces exiting the opening in the bottom of the pressure vessel become entrained in the compressed air flow through the mixing chamber and exit the mixing chamber through the outlet to the

5 blast gun or other dispensing device.

25. The method of claim 24, further comprising the step of controlling the exit of dry ice pieces from the pressure vessel to the mixing chamber with a metering valve disposed between the opening in the bottom of the pressure vessel and the

10 mixing chamber.

26. The method of claim 24, further comprising the step of controlling the size of dry ice pieces exiting from the pressure vessel to the mixing chamber with a size-reducing device disposed between the opening in the bottom of the pressure

15 vessel and the mixing chamber.

**BEST AVAILABLE COPY**

**SUBSTITUTE PAGE**